ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION "Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

<u>160.035</u>	<u>Lifeb</u>	oats for Merchant Vessels
ERNST HATECK	E GMBH	JACHT- UND BOOTSWERFT POSTFACH 1107 D-21703 DROCHTERSEN GERMANY
160.035/0559/0	APPROVED	Model GFF7.4 M, 7.40 m x 2.66 m x 3.24 m, 30-person, totally enclosed, free-fall lifeboat, fiberglass reinfor
FR FASSMER GN	MBH & CO	MOTZEN-WESER D-2876 BERNE 2 GERMANY
160.035/0533/1	APPROVED	7.4 m (24.2 ft) x 2.65 m (8.7 ft) x 1.19 m (3.9 ft) fiberglass reinforced plastic, totally enclosed lifeboat/rescue
HARDING WATE	RCRAFT LT	D. MUMBY ROAD HAMPSHIRE GOSPORT UNITED KINGDOM
160.035/0543/1	APPROVED	8.5m, Mk V, 62 Person, without air or spray, totally enclosed, GRP, with Volvo 2003T engine.
160.035/0551/1	APPROVED	8.5m, Mk V, 62 Person, with air and spray (fire protected), totally enclosed, GRP, with Volvo 2003T engin
160.035/0558/0	APPROVED	8.0m x 2.7m x 1.18m partially enclosed FRP lifeboat with SABB L3.139LB engine. 50 person capacity.
NORSAFE A/S	P.O. BOX	115 N-4818 FAERVIK NORWAY
160.035/0545/0	APPROVED	6.7m "MINA" GRP Totally Enclosed Lifeboat. 32 person. Fire protected with self-contained air supply and wa
160.035/0556/0	APPROVED	6.7m "MINA" GRP Totally Enclosed Lifeboat. 32 person. Dry Cargo Version. Permanent ballast added to bri
SCHAT-MARINE	SAFETY CO	DRPORATION P. O. BOX 465 FOOT OF INDUSTRIAL RD. FARMINGDALE NJ 07727
160.035/0174/3	APPROVED	22.0' x 7.5' x 3.17' steel, motor-propelled, Class 1 lifeboat.
160.035/0285/3	APPROVED	18.0' x 5.75' x 2.42' aluminum, oar-propelled, 12-person capacity.
160.035/0449/2	APPROVED	26.0' x 9.0' x 3.83' aluminum, motor-propelled lifeboat.
160.035/0467/1	APPROVED	30.0' x 10.0' 4.33' steel, motor-propelled lifeboat.
160.035/0471/0	APPROVED	33.5' x 11.5' x 4.83' steel, motor-propelled, Class 1, lifeboat.
SURVIVAL SYST	EMS INTER	NATIONAL 34140 VALLEY CENTER ROAD P. O. BOX 1855 VALLEY CENTER CA 92082
160.035/0474/7	APPROVED	Model 1401 survival capsule, 11.2' diameter x 3.35' depth, FRP, motor- propelled, totally enclosed, 14-pers
160.035/0495/0	APPROVED	Model CA3400, 19.0' x 12.5' x 4.54' fibrous glass reinforced plastic motor propelled, totally enclosed survival c
160.035/0500/3	APPROVED	Model CA 5400, 6 m x 4.25 m x 1.55 m FRP, motor propelled, totally encl. survival capsule, without radio cab
160.035/0501/4	APPROVED	Model CA3600, 19'x12'x4.54' FRP, 36 or 38 person, totally enclosed, motor propelled, w/o radio cabin or sear
160.035/0506/2	APPROVED	Model CA 2100, 4.4m x 3.2m x 1.4m (14.5'x10.5'x4.5').
160.035/0509/2	APPROVED	Model CA 2100, 4.4m x 3.2m x 1.4m (14.5'x10.5'x4.5'). Totally enclosed. 21 person. Perkins Prima M50 en
160.035/0541/1	APPROVED	Model CA 5400, 6m x 4.25 m x 1.55 GRP, 50 person, totally enclosed, meets SOLAS 74/83, Regul
160.035/0542/1	APPROVED	Model CA 3600, 19' x 12' x 4.54' FRP, 36 person, totally enclosed, meets SOLAS 74/83, Regulation III/44.
160.035/0557/0	APPROVED	Model CA 2100, 4.4m x 3.2m x 1.4m (14.5'x10.5'x4.5'), 21 person capacity. Perkins Prima M50 engine.
UMOE SCHAT-HA	ARDING AS	N-5470 ROSENDAL
160.035/0531/0	APPROVED	MCBO 34, 9.98m x 3.3m, x 1.38m, FRP, totally enclosed, fire-protected lifeboat, 76 person capacity. Com
UMOE SCHAT-HA	ARDING INC	C. 912 HIGHWAY 90 EAST NEW IBERIA LA 70560
160.035/0230/6	APPROVED	22.0' x 7.5 x 3.17' aluminum, oar-propelled, 30-person capacity.
160.035/0475/4	APPROVED	8.0m x 2.7m x 1.1m (26'x8.8'x3.6'), enclosed lifeboat with SABB L 3.139 LB engine. 44 person capacity.
160.035/0484/3	APPROVED	8.5m x 2.9m x 1.2m (28'x9.7'x4.1'), encl. lifeboat with Sabb L3.139 LB engine. 58 person capacity.
160.035/0490/0	APPROVED	7.8.m x 2.73 m x 1.12 m (25.74' x 9.0' x 3.71') 53-person, fibrous glass reinforced plastic lifeboat, oar propell
160.035/0497/0	APPROVED	7.26 m x 2.42 m x 1.05 m (23.97' x 8.0' x 3.48') 37-person, fibrous glass reinforced plastic motor-propelled lif
160.035/0498/1	APPROVED	23.97' x 8.0' x 3.48' FRP lifeboat, oar propelled, 40-person.

Page 81 of 395 Note: Based on data as of March 1, 1998

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION "Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

160.035/0515/1 APPROVED	$9.09~{\rm m}~{\rm x}~3.03~{\rm m}~{\rm x}~1.31~{\rm m}~(30.0'~{\rm x}~10.0'~{\rm x}~4.33')~74$ -person, open lifeboat,	fibrous glass reinforced plastic const
160.035/0527/1 APPROVED	$8.5~\mathrm{m}$ x 2.7 m x 1.2 m (28' x 9' x 4') 59-person, FRP open lifeboat, motor	propelled.
160.035/0538/2 APPROVED	6.5~m~x~2.25~m~x~2.275~m, Mk V, 32 person, fiberglass reinforced plastic ,	totally enclosed lifeboat/rescue boat
160.035/0544/0 APPROVED	8.5m, Mk V, 62 Person, without air or spray, totally enclosed, GRP, with	Volvo 2003T engine.
160.035/0553/0 APPROVED	8.5m, Mk V, 62 Person, with air and spray (fire protected), totally	enclosed, GRP, with Volvo 2003T engin

WELIN BOAT AND DAVIT DIVISION LAKE SHORE, INC IRON MOUNTAIN MI 49801

160.035/0469/0 APPROVED 26.0 ft x 9.0 ft x 3.83 ft fibrous glass reinforced plastic (FRP), oar-propelled, 53 person capacity.

BOATCRAFT COMPANY CROPSEY & 26TH STREET BROOKLYN NY 11214

160.035/0136/0	FORMER-MAY USE	12.0' x 4.5' x 2.0' steel, oar propelled, 12 person.
160.035/0137/1	FORMER-MAY USE	16.0' x 5.5' x 2.38' steel, oar propelled, 12 person.
160.035/0138/0	FORMER-MAY USE	22.0' x 7.5' x 3.16' steel, oar propelled, 31 person.
160.035/0139/0	FORMER-MAY USE	24.0' x 8.0' x 3.5' steel, oar propelled, 40 person.
160.035/0198/0	FORMER-MAY USE	14.0' x 5.2' x 2.3' steel, oar propelled, 10 person.

C C GALBRAITH & SON, INC PO BOX 185 KEYPORT NJ 07735

`	OCALDINAIIII	a 5511, 1115	S BOX 100 RET ORT NO 07700	
	160.035/0007/0	FORMER-MAY USE	14.0' x 4.8' x 2.0' steel, oar propelled, propelled, 8 person.	
	160.035/0008/3	FORMER-MAY USE	12.0' x 4.5' x 1.95'steel, oar propelled, 4 person.	
	160.035/0009/2	FORMER-MAY USE	14.0' x 5.0' x 2.2' steel, oar propelled, 9 person.	
	160.035/0010/3	FORMER-MAY USE	14.0' x 5.2' x 2.3' steel, oar propelled, 12 person.	
	160.035/0011/2	FORMER-MAY USE	16.0' x 5.7' x 2.3' steel, oar propelled, 12 person.	
	160.035/0012/4	FORMER-MAY USE	18.0' x 5.5' x 2.4' steel oar propelled, 14 person.	
	160.035/0013/0	FORMER-MAY USE	18.0 ft x 5.5 ft x 2.4 ft steel, oar-propelled, 14-person capacity.	
	160.035/0015/4	FORMER-MAY USE	20.0' x 6.5' x 2.6' steel, oar propelled, 18 person.	
	160.035/0016/3	FORMER-MAY USE	22.0' x 7.5' x 3.17' steel, oar propelled, 24 person.	
	160.035/0017/4	FORMER-MAY USE	22.0' x 7.5' x 3.17' steel, oar propelled, 31 person.	
	160.035/0018/0	FORMER-MAY USE	22.0' x 7.5' x 3.167' steel, motor propelled, without radio cabin, 25 perso	n.
	160.035/0019/3	FORMER-MAY USE	24.0' x 7.0' 3.0' steel, oar propelled, 30 person.	
	160.035/0020/5	FORMER-MAY USE	24.0' x 8.0' x 3.5' steel, oar propelled, 40 person.	
	160.035/0021/3	FORMER-MAY USE	24.0' x 7.75' x 3.33' steel, oar propelled, 37 person.	
	160.035/0022/4	FORMER-MAY USE	24.0' x 8.0' x 3.25' steel, oar propelled 40 person.	
	160.035/0023/0	FORMER-MAY USE	24.0 x 8.0' 3.5' steel motor propelled, without radio cabin, T Bar keel, 36	person.
	160.035/0024/3	FORMER-MAY USE	24.0' x 8.0' x 3.5' steel, motor propelled without radio cabin (Class B), 3	6 person.
	160.035/0025/0	FORMER-MAY USE	26.0' x 7.75' x 3.25' steel, oar propelled, 40 person.	
	160.035/0026/3	FORMER-MAY USE	26.0' x 8.75' x 3.75' steel, oar propelled, 50 person.	
	160.035/0027/4	FORMER-MAY USE	28.0' x 9.0' x 4.0' steel, oar propelled, 59 person.	
	160.035/0028/2	FORMER-MAY USE	28.0' x 10.0 x 4.0' steel, motor propelled without radio cabin (Class B), 6	0 person.
	160.035/0029/1	FORMER-MAY USE	28.0' x 10.0' x 4.0' steel, hand propelled 62 person.	
	160.035/0164/0	FORMER-MAY USE	26.0' x 9.0' x 3.25' steel, oar propelled, 50 person.	
	160.035/0166/2	FORMER-MAY USE	30.0' x 10.0' x 4.0' steel, hand propelled, 72 person.	
	160.035/0213/3	FORMER-MAY USE	12.0' x 4.4' x 1.9' steel, oar propelled, 4 person.	
	160.035/0228/1	FORMER-MAY USE	30.0' x 10.0' x 4.0' steel, motor propelled (Class 1), 70 person.	
	160.035/0236/2	FORMER-MAY USE	16.0' x 5.8' x 2.43' steel, oar propelled, 10 person.	

Page 82 of 395 Note: Based on data as of March 1, 1998

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

160.035/0291/1	FORMER-MAY USE	31.0' x 11.25' x 4.5' steel, hand propelled 88 person.	
160.035/0295/0	FORMER-MAY USE	31.0' x 11.25' x 4.5' steel, motor propelled without radio cabin (Class B),	86 person.
160.035/0305/2	FORMER-MAY USE	26.0' x 7.75' x 3.33' steel, propelled, 40 person.	
160.035/0314/2	FORMER-MAY USE	22.0' x 7.5' x 3.17' steel, motor propelled (Class 1), 28 person.	
160.035/0329/3	FORMER-MAY USE	$24.0^{\circ}\ x\ 8.0^{\circ}\ x\ 3.5^{\circ}$ steel, motor propelled (Class 1), 37 person.	
160.035/0331/2	FORMER-MAY USE	24.0' x 8.0' x 3.25' steel, hand propelled, 40 person.	
160.035/0372/0	FORMER-MAY USE	$26.0^{\circ}x\;8.75^{\circ}x\;3.75^{\circ}$ steel, hand propelled, 53 person.	
160.035/0373/1	FORMER-MAY USE	22.0' x 7.5' x 3.17' steel, hand propelled, 30 person.	
160.035/0395/1	FORMER-MAY USE	24.0' x 8.33' x 3.58' steel, oar propelled, 43 person.	
160.035/0401/3	FORMER-MAY USE	26.0' x 9.0' x 3.83' steel, hand propelled, 51 person.	
160.035/0422/1	FORMER-MAY USE	24.0' x 8.33' x 3.58' steel, hand propelled, 43 person.	
160.035/0434/1	FORMER-MAY USE	16.0' x 6.25' x 2.5' steel, oar propelled, 11 person.	
160.035/0440/0	FORMER-MAY USE	30.0' x 10.0' x 4.33' fibrous glass reinforced plastic motor propelled (Cla	ss 1), 74 person.
160.035/0450/0	FORMER-MAY USE	26.0' x 9.0' x 3.83' steel, motor propelled (Class 1) 48 person.	

FOX RIVER BOAT WORKS DE PERE WI 54115

160.035/0140/0 FORMER-MAY USE 27.8' x 8.5' x 3.8' wood, oar propelled 38 person.

FRANK MORRISON & SON CO 1330 WEST 11TH STREET CLEVELAND OH 44113

160.035/0116/0	FORMER-MAY USE	24.0' x 7.9 x 3.33' steel, oar propelled, 37 person.
160.035/0117/0	FORMER-MAY USE	14.0' x 5.75' x 2.62' steel, oar propelled, 12 person.
160.035/0118/0	FORMER-MAY USE	16.0' x 6.0' x 2.5' steel, oar propelled, 14 person.
160.035/0119/0	FORMER-MAY USE	22.0' x 6.0' x 2.58' steel, oar propelled, 20 person.
160.035/0120/0	FORMER-MAY USE	22.0' x 6.17' x 2.75' steel, oar propelled, 22 person.
160.035/0121/2	FORMER-MAY USE	24.0' x 6.67' x 3.0' steel, oar propelled, 25 person.
160.035/0122/0	FORMER-MAY USE	24.0' x 7.0' x 3.0' steel, oar propelled, 30 person.
160.035/0123/0	FORMER-MAY USE	28.0° x 9.25° x 4.0° steel, hand propelled, 60 person.
160.035/0124/0	FORMER-MAY USE	14.0' x 5.66' x 2.208' steel, oar propelled, 10 person.
160.035/0125/0	FORMER-MAY USE	14.0° x 5.83° x 6.625° steel, oar propelled, 15 person.
160.035/0126/2	FORMER-MAY USE	16.0' x 6.0' x 2.67' steel, oar propelled, 15 person.
160.035/0127/0	FORMER-MAY USE	18.0' x 6.0' x 2.5' steel, oar propelled, 16 person.
160.035/0128/0	FORMER-MAY USE	18.0' x 5.84' x 2.5' steel, oar propelled, 15 person.
160.035/0129/0	FORMER-MAY USE	20.0' x 6.0' x 2.16' steel, oar propelled, 15 person.
160.035/0130/0	FORMER-MAY USE	20.0' x 6.0' x 2.5' steel, oar propelled, 18 person.
160.035/0131/0	FORMER-MAY USE	22.0' x 6.5' x 2.75' steel, oar propelled, 23 person.
160.035/0132/0	FORMER-MAY USE	26.0' x 7.75' x 3.36' steel, oar propelled, 40 person.
160.035/0133/0	FORMER-MAY USE	26.0' x 9.0' x 3.63' steel, oar propelled, 50 person.
160.035/0134/0	FORMER-MAY USE	28.0' x 8.38' x 3.58' steel, oar propelled, 50 person.

GEORGE W KNEASS CO 18TH & ILLINOIS STREETS SAN FRANCISCO CA 94107

160.035/0232/0 FORMER-MAY USE 15.0' x 5.42' x 2.25' wood, oar propelled 10 person.

GUNDERSON BROTHERS 4700 NORTHWEST FRONT AVE PORTLAND OR 97210

160.035/0067/0 FORMER-MAY USE 24.0' x 8.1' x 3.75' wood, motor propelled, without radio cabin, 34 person.

Page 83 of 395 Note: Based on data as of March 1, 1998

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

160.035/0068/0	FORMER-MAY USE	24.0' x 8.0' x 3.75' wood, oar propelled, 34 person.
160.035/0069/0	FORMER-MAY USE	24.0' x 8.5' x 3.5' wood, oar propelled, 40 person.

HARDING WATERCRAFT LTD. MUMBY ROAD HAMPSHIRE GOSPORT UNITED KINGDOM

160.035/0427/0 FORMER-MAY USE	36.5' x 12.0' x 5.25', fibrous glass reinforced plastic (FRP), motor lifebo at w/ radio cab, Class A, 128 pers cap.
160.035/0530/0 FORMER-MAY USE	9.4 m, Mk IV, 80 person, without air and spray, totally enclosed, FRP, with ARS/FSD425 diesel engine (previo
160.035/0534/0 FORMER-MAY USE	9.4m, Mk IV(S), 76 Person, without air and spray, totally enclosed, GRP, with Thornycroft 152 engine (55 bh
160.035/0535/0 FORMER-MAY USE	6.5 m x 2.25 m x 2.275 m, Mk V fibrous glass reinforced plastic, totally enclosed, fire protected, 32-person c
160.035/0536/0 FORMER-MAY USE	9.4m, Mk IV(S), 76 Person, with air and spray (fire protected), totally enclosed, GRP, with Thornycroft 152 e
160.035/0548/0 FORMER-MAY USE	7.5m, Mk IV, 50 person, totally enclosed, GRP, Volvo 2003T engine, with air and water spray (fire protected).
160.035/0555/0 FORMER-MAY USE	7.5m, Mk IV, 50 person, totally enclosed, GRP, Volvo 2003T engine, without air and water spray (non-fire prot

IHI CRAFT CO, LTD 1, SHIN-NAKAHARA-CHO ISOGO-KU YOKOHAMA 235 JAPAN

160.035/0529/0 FORMER-MAY USE Model GTC-70-C, 7.00 m (22.97 ft) x 2.60 m (14.22 ft) x 1.15 m (3.77 ft), fibrous glass reinforced plastic tota

IMPERIAL LIFEBOAT & DAVIT CO, INC ATHENS NY 12015

160.035/0070/0	FORMER-MAY USE	16.0' x 5.71' x 2.30' steel oar propelled, 12 person.
160.035/0071/0	FORMER-MAY USE	18.0' x 6.0' x 2.375' steel, oar propelled, 15 person.
160.035/0072/0	FORMER-MAY USE	22.0' x 7.5' x 3.17' steel, oar propelled, 31 person.
160.035/0073/0	FORMER-MAY USE	22.0' x 7.5' x 3.17' steel, motor propelled, without radio cabin, 25 person
160.035/0074/0	FORMER-MAY USE	24.0' x 8.0' x 3.42' steel, oar propelled, 38 person.
160.035/0075/0	FORMER-MAY USE	24.0' x 8.0' x 3.42' steel, motor propelled without radio cabin, 35 person.
160.035/0076/0	FORMER-MAY USE	26.0' x 9.0' x 3.6' steel, motor propelled without radio cabin, 44 person.
160.035/0077/0	FORMER-MAY USE	26.0' x 9.0' x 3.6' steel, oar propelled, 50 person.
160.035/0078/0	FORMER-MAY USE	28.0' x 9.0' x 3.96' steel, oar propelled, 52 person.
160.035/0079/0	FORMER-MAY USE	28.0' x 9.0' x 3.96' steel, oar propelled, 59 person.
160.035/0080/0	FORMER-MAY USE	28.0' x 9.0' x 3.96' steel, motor propelled, with radio cabin, 55 person.
160.035/0081/0	FORMER-MAY USE	$30.0^{\circ}x9.67^{\circ}x4.17^{\circ}$ steel, motor propelled, with radio cabin, 55 person.

INTER-ISLAND STEAM NAVIGATION CO HONOLULU HI 96800

160.035/0114/0 FORMER-MAY USE	26.0' x 7.67' x 3.92' wood motor propelled, without radio cabin, for Hawaii	an waters only, 43 person.
160.035/0115/0 FORMER-MAY USE	26.0' x 7.67' x 3.42' wood oar p ropelled, 40 person.	

KARGARD BOAT AND ENGINE CO MARINETTE WI 54143

160.035/0141/0 FORMER-MAY USE	22.0' x 7.5' x 3.25' steel oar propelled, 31 person.
160.035/0142/0 FORMER-MAY USE	$22.0^{\circ}x7.5^{\circ}x3.25^{\circ}$ steel, motor propelled without radio cabin, 25 person.
160.035/0143/0 FORMER-MAY USE	24.0' x 8.0'x 3.73' steel, motor propelled without radio cabin, 35 person.
160.035/0144/0 FORMER-MAY USE	24.0'x 8.0' x 3.73' steel, oar propelled, 40 person.
160.035/0145/0 FORMER-MAY USE	28.0' x 9.0' x 4.0' steel, motor propelled without radio cabin, 46 person.

LANE MARINE TECHNOLOGY, INC 150 SULLIVAN ST BROOKLYN NY 11231

160.035/0038/4 FORMER-MAY US	E 24.0 ft x 7.75 ft x 3.33 ft steel motor propelled, without radio cabin or	searchlight, Class I, 35 person capacity.
160.035/0085/2 FORMER-MAY US	E 12.0 ft x 4.4 ft x 1.9 ft steel, oar-propelled lifeboat, 4-person capacity.	
160.035/0086/0 FORMER-MAY US	E 14.0' x 5.0' x 2.0' steel, oar propelled , 8 person.	
160.035/0087/3 FORMER-MAY US	E 14.0 ft x 5.0 ft x 2.17 ft steel, oar-propelled lifeboat, 6-person	capacity.

Page 84 of 395 Note: Based on data as of March 1, 1998

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION "Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

160.035/0088/2	FORMER-MAY USE	14.0' x 5.4' x 2.3' steel, oar propelled, 10 person.	
160.035/0089/4	FORMER-MAY USE	16.0 ft x 5.71 ft x 2.3 ft steel, oar-propelled lifeboat, 9-person	capacity.
160.035/0090/2	FORMER-MAY USE	18.0' x 6.0' x 2.4' steel, oar propelled, 15 person.	
160.035/0091/4	FORMER-MAY USE	18.0 ft x 6.0 ft x 2.6 ft steel, oar-propelled lifeboat, 13 person	capacity.
160.035/0092/2	FORMER-MAY USE	18.0 ft x 6.0 ft x 2.6 ft aluminum, oar-propelled lifeboat, 13-person	capacity.
160.035/0093/0	FORMER-MAY USE	20.0' x 6.6' x 2.6' steel, oar propelled, 20 person.	
160.035/0094/2	FORMER-MAY USE	20.2' x 6.0' x 2.5' steel, oar propelled, 18 person.	
160.035/0095/0	FORMER-MAY USE	20.0' x 7.0' x 3.10' steel, oar propelled, 26 person.	
160.035/0096/0	FORMER-MAY USE	22.0' x 6.9' x 2.8' steel, oar propelled, 25 person.	
160.035/0097/8	FORMER-MAY USE	20,0 ft x 7.5 ft x 3.17 ft steel, motor-propelled lifeboat, without radio	cabin or searchlight, Class I, 28-person c
160.035/0098/5	FORMER-MAY USE	22.0 ft x 7.5 ft x 3.17 ft steel, oar-propelled lifeboat, 30-person	capacity.
160.035/0099/0	FORMER-MAY USE	24.0' x 7.0' x 3.0' steel, oar propelled, 30 person.	
160.035/0100/2	FORMER-MAY USE	24.0 ft x 7.73 ft x 3.33 ft steel, oar-propelled lifeboat, 39-person	capacity.
160.035/0101/0	FORMER-MAY USE	24.0' x 7.9' x 3.3' steel, oar prope lled, 37 person.	
160.035/0102/8	FORMER-MAY USE	24.0 ft x 8.0 ft x 3.5 ft steel, motor-propelled lifeboat, without radio	cabin or searchlight, Class I, 37-person ca
160.035/0103/4	FORMER-MAY USE	24.0 ft x 8.0 ft x 3.5 ft steel, oar-propelled lifeboat, 40-person	capacity.
160.035/0104/0	FORMER-MAY USE	$24.0^{\circ}x8.0^{\circ}x3.73^{\circ}$ steel, oar propelled, 40 person.	
160.035/0105/3	FORMER-MAY USE	$26.0\ \text{ft}\ x\ 9.0\ \text{ft}\ x\ 3.8\ \text{ft}$ steel, motor-propelled lifeboat, Class I, 48-	person capacity.
160.035/0106/2	FORMER-MAY USE	26.0' x 8.3' x 3.58 steel, oar propelled, 46 person.	
160.035/0107/0	FORMER-MAY USE	26.0' x 9.0' x 3.6' steel, oar propelled, 50 person.	
160.035/0108/0	FORMER-MAY USE	$28.0^{\circ}x9.25^{\circ}x383^{\circ}$ aluminum, motor propelled, without radio cabin, $56^{\circ}x383^{\circ}$	4 per son.
160.035/0109/0	FORMER-MAY USE	28.0' x 9.25' x 3.83' steel, oar propelled, 59 person.	
160.035/0110/3	FORMER-MAY USE	28.0 ft x 9.79 ft x 4.12 ft steel, motor-propelled lifeboat without radio	cabin or searchlight, Class I, 62-person c
160.035/0111/1	FORMER-MAY USE	$28.0^{\circ}x9.25^{\circ}x3.83^{\circ}$ steel, motor propelled without $$ radio cabin (Class	B) , 52 person.
160.035/0112/0	FORMER-MAY USE	$30.0^{\circ}x9.25^{\circ}x3.83^{\circ}$ steel, motor-propelled, without radio cabin, 56 per $^{\circ}$	rso n.
160.035/0113/0	FORMER-MAY USE	31.0' x 11.25' x 4.5' steel, oar propelled, 84 person.	
160.035/0159/0	FORMER-MAY USE	12.0' x 4.4' x 1.9' steel, oar propelled, 6 person.	
160.035/0160/1	FORMER-MAY USE	16.0' x 5.0' x 2.1' steel, oar propelled, 10 person.	
160.035/0244/1	FORMER-MAY USE	18.0' \times 6.0' \times 2.5' aluminum, motor-propelled without radio cabin (Classian Classian Classian (Classian Classian Cl	ss B) 14 person.
160.035/0254/2	FORMER-MAY USE	16.0' x 6.25' x 2.5' steel, oar propelled, 15 person.	
160.035/0277/1	FORMER-MAY USE	20.0' x 6.5' x 2.6' aluminum, oar propelled, 20 person.	
160.035/0288/3	FORMER-MAY USE	26.0 ft x 9.0 ft x 3.83 ft steel, oar-propelled lifeboat, 53-person	capacity.
160.035/0302/1	FORMER-MAY USE	20.0' x 6.5' x 2.6' steel, oar propelled, 20 person.	
160.035/0306/1	FORMER-MAY USE	16.0 ft x 5.7 ft x 2.3 ft aluminum, oar-propelled lifeboat, 9-person	capacity.
160.035/0333/0	FORMER-MAY USE	12.0' x 4.46' x 1.98' steel, oar propelled, square stern, 6 person.	
160.035/0348/1	FORMER-MAY USE	12.0 ft x 4.4 ft x 1.9 ft aluminum, oar-propelled lifeboat, 4-person	capacity.
160.035/0387/1	FORMER-MAY USE	$24.0^{\circ}x8.0^{\circ}x3.5^{\circ}$ fibrous glass reinforced plastic (FRP), oar propelled	I, 40 person.
160.035/0388/1	FORMER-MAY USE	$24.0^{\circ}x\;8.0^{\circ}x\;3.5^{\circ}$ fibrous glass reinforced plastic (FRP), motor propel	led (Class 1), 37 person.
160.035/0404/1	FORMER-MAY USE	22.0 ft x 7.5 ft x 3.17 ft aluminum, oar-propelled lifeboat, 30-person	capacity.
160.035/0409/0	FORMER-MAY USE	26.0 ft x 9.0 ft x 3.83 ft aluminum oar-propelled lifeboat, 53-person	capacity.
160.035/0413/1	FORMER-MAY USE	24.0 ft x 8.0 ft x 3.5 ft steel, hand-propelled lifeboat, 40-person	capacity.
160.035/0414/1	FORMER-MAY USE	22.0 ft x 7.5 ft x 3.16 ft steel, hand-propelled lifeboat, 30-person	capacity.

Page 85 of 395 Note: Based on data as of March 1, 1998

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION "Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

160.035/0451/0 FORMER-MAY USE	24.0' x 8.0' x 3.5' fibrous glass reinforced plastic (FRP), hand propelled, 40 person.			
160.035/0453/0 FORMER-MAY USE	28.0 ft x 9.8 ft x 4.12 ft steel, hand-propelled lifeboat, 66-person capacity.			
160.035/0455/1 FORMER-MAY USE	26.0 ft x 9.0 ft x 3.8 ft aluminum, motor-propelled lifeboat, Class 1, 48- person capacity.			
160.035/0456/0 FORMER-MAY USE	28.0' x 9.0 x 3.8' aluminum, oar propelled, 59 person.			
160.035/0458/1 FORMER-MAY USE	24.0 ft x 7.75 ft x 3.33 ft steel, hand-propelled, 39-person capacity.			
160.035/0462/0 FORMER-MAY USE	26.0' x 9.0' x 3.83' fibrous glass reinforced plastic (FRP), motor propelle d, clas s 1, 48 person.			
160.035/0463/0 FORMER-MAY USE	26.0' x 9.0' x 3.83' fibrous glass reinforced plastic (FRP) oar propelled, 53 person.			
160.035/0464/1 FORMER-MAY USE	24.0 ft x 8.0 ft x 3.5 ft aluminum, motor-propelled, Class 1, 37-person capacity.			
160.035/0520/0 FORMER-MAY USE	37.42 ft x 12.5 ft x 5.42 ft, motor-propelled, Class 1, fibrous glass reinforced plastic, (FRP), 115 person ca			
160.035/0521/0 FORMER-MAY USE	37.42 ft x 12.5 ft x 5.42 ft, motor-propelled, Class III, fibrous glass reinforced plastic (FRP) with radio cabin,			
LUNN LAMINATES, INC HUNTIN	LUNN LAMINATES, INC HUNTINGTON STATION NY 11798			
160 035/0378/0 FORMER-MAY USE	16.0' v 5.5' v 2.33' fibrous glass reinforced plastic, par propelled, 12 page reon			

160.035/0378/0	FORMER-MAY USE	16.0' x 5.5' x 2.33' fibrous glass reinforced plastic, oar propelled, 12 pe	rson.
160.035/0405/0	FORMER-MAY USE	$30.0^{\circ}x10.0^{\circ}x4.33^{\circ}$ fibrous reinforced plastic, hand propelled, 78 person	
160.035/0423/0	FORMER-MAY USE	$30.0^{\circ}x10.0^{\circ}x4.33^{\circ}$ fibrous glass reinforced plastic, motor propelled (Di	esel), 74 person.
160.035/0431/0	FORMER-MAY USE	24.0' x 8.0' x 3.5' fibrous glass reinforced plastic, oar propelled, 40 per	son.
160.035/0432/0	FORMER-MAY USE	24.0' x 8.0' x 3.5' fibrous glass reinf orced plastic (FRP), motor propell	ed (Diesel), 37 person.

NEPTUNE BOAT & DAVIT CO, INC NEW ORLEANS LA 70116

160.035/0001/0 FORMER-MAY USE	16.0' x 5.5' 2.38' steel, oar propelled, 12 person.
160.035/0002/0 FORMER-MAY USE	20.0' x 6.0' x 2.5' steel, oar propelled, 18 person.
160.035/0003/0 FORMER-MAY USE	22.0' x 7.5' x 2.75' steel, oar propelled, 24 person.
160.035/0004/0 FORMER-MAY USE	22.0' x 7.5' x 3.17' steel, oar propelled, 31 person.
160.035/0005/0 FORMER-MAY USE	24.0' x 8.0' x 3.75' steel, oar propelled, 38 person.
160.035/0006/0 FORMER-MAY USE	$24.0^{\circ}x8.0^{\circ}x3.75^{\circ}$ steel, motor propelled, without radio cabin, 35 person $$.

SCHAT-MARINE SAFETY CORPORATION P. O. BOX 465 FOOT OF INDUSTRIAL RD. FARMINGDALE NJ 07727

160.035/0197/4	FORMER-MAY USE	18.0' x 5.75' x 2.42' steel, oar propelled, 12 person.
160.035/0203/1	FORMER-MAY USE	24.0' x 8.0' x 3.73' steel, oar propelled, 40 person.
160.035/0204/4	FORMER-MAY USE	20.0' x 6.0' x 2. 5' steel, oar propelled, 16 person.
160.035/0208/5	FORMER-MAY USE	12.0' x 4.42' x 1.92' steel, oar propelled, 4 person.
160.035/0211/6	FORMER-MAY USE	22.0 ft x 7.5 ft x 3.17 ft steel, oar-propelled, 30-person capacity.
160.035/0216/4	FORMER-MAY USE	14.0' x 5.0' x 2.17' steel, oar propelled, 6 person.
160.035/0221/2	FORMER-MAY USE	24.0' x 7.63' x 3.21' steel, oar propelled, 35 person.
160.035/0222/1	FORMER-MAY USE	24.0' x 8.0' x 3.73' steel, motor propelled without radio cabin 37 person.
160.035/0229/1	FORMER-MAY USE	28.0' x 9.0' x 3.96' steel, oar-propelled lifeboat, 59 person capacity.
160.035/0239/1	FORMER-MAY USE	28.0' x 9.79 x 4.13" steel, hand propelled, 68 person.
160.035/0241/1	FORMER-MAY USE	36.5' x 12.5' x 5.33' aluminum, hand propelled, 150 person.
160.035/0242/0	FORMER-MAY USE	26.0' x 8.25' x 3.37' aluminum, oar propelled, 48 person.
160.035/0243/1	FORMER-MAY USE	36.5' x 12.5' x 5.33' aluminum, motor propelled, with radio cabin (Class A) , 140 person.
160.035/0246/3	FORMER-MAY USE	22.0' x 6.5' x 2.67' steel, oar propelled, 22 person.
160.035/0247/1	FORMER-MAY USE	24.0' x 8.0' x 3.75' steel, motor propelled lifeboat without radio cabin, 4 0 person.
160.035/0258/4	FORMER-MAY USE	20.0' x 6.5' x 2.67' steel, oar-propelled lifeboat.
160.035/0262/2	FORMER-MAY USE	26.0' x 8.33' 3.54' steel, oar propelled, 46 person.

Page 86 of 395 Note: Based on data as of March 1, 1998

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION "Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

160.035/0270/3 FORMER-MAY USE	16.0' x 5.0' x 2.08' steel, oar propelled, 8 person.
160.035/0271/2 FORMER-MAY USE	22.0' x 6.75' x 2.92' steel, oar propelled, 25 person.
160.035/0274/3 FORMER-MAY USE	22.0' x 6.75' x 2.92' aluminum, oar propelled, 25 person.
160.035/0279/2 FORMER-MAY USE	30.0' x 10.0' x 4.13' aluminum, hand propelled, 70 person.
160.035/0280/4 FORMER-MAY USE	26.0' x 9.0' x 3.83' aluminum, oar-propelled, 53-person capacity.
160.035/0281/3 FORMER-MAY USE	26.0 ft x 9.0 ft x 3.83 ft steel, oar-propelled, 53-person capacity.
160.035/0282/1 FORMER-MAY USE	24.0' x 7.63' x 3.21' aluminum, oar propelled, 35 person.
160.035/0284/4 FORMER-MAY USE	16.0 ft x 5.5 ft x 2.38 ft aluminum, oar-propelled, 9-person capacity.
160.035/0286/4 FORMER-MAY USE	24.0' x 8.0' x 3.5' steel, oar-propelled lifeboat.
160.035/0289/2 FORMER-MAY USE	24.0' x 7.75' x 3.33' steel, oar propelled, 37 person.
160.035/0294/1 FORMER-MAY USE	24.0' x 7.63' x 3.21' aluminum, motor propelled without radio cabin (Class B), 33 person.
160.035/0298/1 FORMER-MAY USE	30.0' x 10.0' x 4.13' aluminum, motor propelled without radio cabin (Clas s B), 68 person.
160.035/0299/2 FORMER-MAY USE	24.0' x 8.0' x 3.5' aluminum, oar-propelled lifeboat.
160.035/0300/5 FORMER-MAY USE	24.0' x 8.0' x 3.5' aluminum, motor-propelled lifeboat.
160.035/0304/0 FORMER-MAY USE	24.0' x 7.75' x 3.33' steel, motor propelled without radio cabin (Class B), 34 person.
160.035/0309/2 FORMER-MAY USE	24.0' x 7.75' x 3.33' steel, hand propelled, 37 person.
160.035/0310/0 FORMER-MAY USE	28.0' x 9.0' x 3.96' steel, hand propelled, 61 person.
160.035/0311/4 FORMER-MAY USE	24.0 ft x 8.0 ft x 3.5 ft steel, motor-propelled, without radio cabin or searchlight, Class 1, 37-person capacity.
160.035/0317/1 FORMER-MAY USE	20.0' x 6.0' x 2.5' aluminum, oar propelled, 16 person.
160.035/0320/1 FORMER-MAY USE	30.67' x 10.17' x 4.25' steel, hand propelled, 77 person.
160.035/0322/3 FORMER-MAY USE	22.0' x 7.5' x 3.17' steel, hand propelled, 30 person.
160.035/0326/0 FORMER-MAY USE	28.0' x 9.0' x 3.96' steel, motor propelled without radio cabin (Class B), 59 person.
160.035/0327/1 FORMER-MAY USE	16.0' x 5.25' x 2.25' aluminum, oar propelled, 8 person.
160.035/0330/0 FORMER-MAY USE	24.0' x 7.63' x 3.21' steel, motor propelled without radio cabin (Class B), 33 person.
160.035/0334/1 FORMER-MAY USE	26.0 ft x 9.0 ft x 3.83 ft steel, motor-propelled, without radio cabin or searchlight, Class 1, 48-person capacity.
160.035/0335/0 FORMER-MAY USE	28.0' x 9.79' x 4.13' steel, motor propelled lifeboat without radio cabin (Class B), 63 person.
160.035/0338/2 FORMER-MAY USE	28.0' 9.0' x 3.96' aluminum, oar-propelled lifeboat.
160.035/0341/0 FORMER-MAY USE	22.0' x 7.5' x 3.17' steel, oar propelled, 31 person.
160.035/0342/2 FORMER-MAY USE	24.0' x 8.0' x 3.5' aluminum, hand-propelled lifeboat.
160.035/0343/3 FORMER-MAY USE	26.0 ft x 7.68 ft x 3.54 ft aluminum, oar-propelled lifeboat, 42-person capacity.
160.035/0347/0 FORMER-MAY USE	28.0' x 9.79' x 4.13' aluminum, motor propelled without radio cabin (Class B), 60 person.
160.035/0349/0 FORMER-MAY USE	24.0' x 8.63' x 3.88' steel, motor propelled without radio c abin (Class B), 43 person.
160.035/0350/2 FORMER-MAY USE	18.0' x 6.0' x 2.5' steel, oar propelled, 13 person.
160.035/0358/1 FORMER-MAY USE	26.0' x 7.88' x 3.54' steel, oar propelled, 42 person.
160.035/0360/1 FORMER-MAY USE	16.0' x 6.0' x 2.5' steel, oar propelled, 11 person.
160.035/0363/2 FORMER-MAY USE	24.0 ft x 8.0 ft x 3.5 ft steel, hand-propelled lifeboat, 40-person capacity,
160.035/0369/0 FORMER-MAY USE	28.0' x 9.79' x 4.13' steel, hand propelled, 66 person.
160.035/0371/1 FORMER-MAY USE	26.0 ft x 9.0 ft x 3.93 ft steel, hand-propelled, 53-person capacity.
160.035/0381/4 FORMER-MAY USE	24.0' x 8.0' x 3.5' fibrous glass reinforced plastic (FRP), oar propelled, 40-person.
160.035/0382/1 FORMER-MAY USE	26.0' x 9.0 x 3.83' aluminum, hand propelled, 53 person.
160.035/0384/0 FORMER-MAY USE	28.0' x 9.79' x 4.13' aluminum, hand propelled, 69 person.
160.035/0386/1 FORMER-MAY USE	26.0' x 8.25' x 3.5' aluminum, oar propelled, 50 person.

Page 87 of 395

Note: Based on data as of March 1, 1998

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

160.035/0391/1	FORMER-MAY USE	28.0' x 9.79' x 4.13' aluminum, motor propelled with radio cabin (Class A), 60 person.
160.035/0396/4	FORMER-MAY USE	24.0' x 8.0' x 3.5' fibrous glass reinforced plastic hand-propelled lifeboa t.
160.035/0397/7	FORMER-MAY USE	24.0' x 8.0' x 3.5' fibrous reinforced plastic (FRP), motor propelled (Clas s 1), 37 person.
160.035/0410/8	FORMER-MAY USE	30.0' x 10.0' x 4.33' fibrous glass reinforced plastic (FRP), hand propelle d, 78 person.
160.035/0421/2	FORMER-MAY USE	30.0' x 10.0' x 4.33' aluminum, hand propelled, 78 person.
160.035/0424/1	FORMER-MAY USE	28.0' x 8.46' x 3.79' steel, oar propelled, 55 person.
160.035/0426/0	FORMER-MAY USE	28.0' x x 8.46' x 3.97' steel, motor propelled (Diesel), 52 person.
160.035/0430/0	FORMER-MAY USE	18.0' x 6.0' x 2.5' aluminum, motor propelled (Diesel), 10 person.
160.035/0435/1	FORMER-MAY USE	24.0' x 7.25' x 3.25' steel, oar-propelled lifeboat.
160.035/0436/0	FORMER-MAY USE	24.0' x 7.25' x 3.25' steel, motor propelled (Diesel), 30 person.
160.035/0442/1	FORMER-MAY USE	26.0' x 7.88' x 3.54' aluminum, motor propelled (Diesel 6-knot), without ra dio cabin (Class 1), 40 person.
160.035/0443/6	FORMER-MAY USE	30.0' x 10.0' x 4.33' fibrous glass reinforced plastic (FRP), (Class 1), mo tor propelled, 74 person.
160.035/0444/1	FORMER-MAY USE	28.0' x 9.0' x 3.96' aluminum, hand-propelled lifeboat.
160.035/0447/2	FORMER-MAY USE	28.0 ft x 9.0 ft x 3.96 ft aluminum, motor-propelled, Class 1, 53-person capacity.
160.035/0459/0	FORMER-MAY USE	26.0' x 9.0' x 3.83' fibrous glass reinforced plastic (FRP), oar propelled, 53-person.
160.035/0460/0	FORMER-MAY USE	26.0' x 9.0' x 3.83', fibrous glass reinforced plastic motor-propelled, 48 person capacity.
160.035/0461/0	FORMER-MAY USE	26.0' x 9.0' x 3.83', fibrous glass reinforced plastic hand-propelled, 53 p erson capacity.
160.035/0466/2	FORMER-MAY USE	30.0' x 10.0' 4.33' steel, hand-propelled lifeboat, 78 person capacity.
160.035/0472/2	FORMER-MAY USE	30.0 ft x 10.0 ft x 4.33 ft fibrous glass reinforced plastic (FRP) totally enclosed, Class 1, motor-propelled, 69-p
160.035/0477/0	FORMER-MAY USE	30.0' x 10.0' x 4.33' fibrous glass reinforced plastic totally enclosed Cla ss 1 motor-propelled lifeboat.
160.035/0478/0	FORMER-MAY USE	26.0' x 9.0 x 3.83' fibrous glass rei nforced plastic totally enclosed Cla ss 1 motor-propelled lifeboat.
160.035/0479/1	FORMER-MAY USE	24.0' x 8l0' x 3.5' motor propelled without radio cabin, 37 person capacity $$.
160.035/0488/0	FORMER-MAY USE	33.5' x 11.5' x 4.83' aluminum, motor-propelled, Class 1 lifeboat.
160.035/0489/0	FORMER-MAY USE	20.0 ft x 6.5 ft x 2.67 ft steel, motor-propelled, Class 1, 16-person capacity.
160.035/0494/0	FORMER-MAY USE	23.97' x 8.0' x 3.48' fibrous glass reinforced plastic motor-propelled life boat.
160.035/0496/0	FORMER-MAY USE	23.97' x 8.0' x 3.48' fibrous glass reinforced plastic lifeboat, hand propelled, 37-person capacity.
160.035/0499/0	FORMER-MAY USE	25.74' x 9.0' x 3.71' fibrous glass reinforced plastic lifeboat, hand propelled, 53-person capacity.
160.035/0502/0	FORMER-MAY USE	30.0 ft x 10.0 ft x 4.33 ft fibrous glass reinforced plastic (FRP) notor- propelled, Class 3 lifeboat (searchlight
160.035/0503/0	FORMER-MAY USE	37.0' x 12.5' 5.42' aluminum motor-propelled, Class 1 lifeboat.
160.035/0513/0	FORMER-MAY USE	30.0' x 10.0' x 4.4' FRP hand propelled, 78-person capacity open lifeboat.
SONAT OFFSHOR	RE DRILLING, INC.	4 GREENWAY PLAZA P.O. BOX 2765 HOUSTON TX

SONAT OFFSHORE DRILLING, INC. 4 GREENWAY PLAZA P.O. BOX 2765 HOUSTON TX

160.035/0517/1 FORMER-MAY USE 43.47' x 11.52' x 6.56', model FF-42 FRP engine propelled, totally enclosed free-fall launched lifeboat.

SURVIVAL SYSTEMS INTERNATIONAL 34140 VALLEY CENTER ROAD P. O. BOX 1855 VALLEY CENTER CA 92082

160.035/0454/0 FORMER-MAY USE	13.5' diameter x 4.8' depth fibrous glass reinforced, motor propelled, tota Ily enclosed "Brucker" capsule, 28 pe
160.035/0465/2 FORMER-MAY USE	14.0 ft diameter x 4.8 ft depth fibrous glass reinforced plastic (FRP), motor-propelled, totally enclosed surviv
160.035/0480/3 FORMER-MAY USE	Model CA2801, 14.0' diameter x 4.8' depth fibrous glass reinforced plastic motor propelled.
160.035/0483/1 FORMER-MAY USE	Model CA5001, 19.75' x 14.0' x 5.12' fibrous glass reinforced plastic motor propelled.
160.035/0486/0 FORMER-MAY USE	Model 5003, 19.75' x 14.0' x 5.12' fibrous glass reinforced plastic motor p ropelled, totally enclosed survival ca

TREGONING INDUSTRIES, INC PO BOX 151 ALDERWOOD MANOR WA 98036

160.035/0082/0 FORMER-MAY USE	12.0' x 5.0' x 2.25' steel, oar propelled, 8 person.
160.035/0083/0 FORMER-MAY USE	26.0' x 8.5' x 3.825' steel, motor propelled, with radio cabin, 40 person.

Page 88 of 395 Note: Based on data as of March 1, 1998

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

160.035/0084/0	FORMER-MAY USE	26.0' x 8.5' x 3.825' steel, motor propelled, with radio cabin, 40 person.
160.035/0149/0	FORMER-MAY USE	22.0' x 7.5' x 3.15' steel, oar propelled, 31 person.
160.035/0150/0	FORMER-MAY USE	26.0' x 8.5' x 3.825' steel, oar propelled, 50 person.
160.035/0170/0	FORMER-MAY USE	16' x 5.6' x 2.35' steel, oar propelled, 12 person.
160.035/0175/0	FORMER-MAY USE	12' x 4.5' x 1.85' steel, oar propelled, Type OMS, 6 person, for service on vessels than ocean and coastwise v
160.035/0202/0	FORMER-MAY USE	28.0' x 10.0' x 4.0' steel, hand propelled, 66 person.
160.035/0205/0	FORMER-MAY USE	24' x 8' x 3.6' steel, oar propelled, 41 person.
160.035/0206/0	FORMER-MAY USE	18.0 ft x 6.6 ft x 2.7 ft, steel, oar-propelled lifeboat, Type OMS, 18 person capacity.
160.035/0207/0	FORMER-MAY USE	20.0' x 6.8' x 2.9' steel, oar propelled, Type OMD, 23 person.
160.035/0215/0	FORMER-MAY USE	20.0' x 6.8' x 2.9' steel, motor propelled, without radio cabin, 21 person.
160.035/0259/0	FORMER-MAY USE	24.1' x 7.4' x 2.81' steel, oar propelled, 30 person.

UMOE SCHAT-HARDING AS N-5470 ROSENDAL

160.035/0504/0 FORMER-MAY USE	7.40 m (23.95') x 2.76 m (9.06') x 1.15 m (3.77') fibrous glass.
160.035/0507/0 FORMER-MAY USE	MA 24 7.30 m (23.95 ft.) x 2.40 m (7.87 ft.) x 1.02 m (3.35 ft.), FRP, moto r propelled, 41 person capacity, Cla
160.035/0512/0 FORMER-MAY USE	7.30 m (23.95 ft.) x 2.40 m (7.87 ft.) x 1.02 m (3.35 ft.) FRP open oar-pro pelled lifeboat, 42 person, class I.
160.035/0519/0 FORMER-MAY USE	8.0 m (26.25 ft.) x 2.54 m (8.33 ft.) x 1.14 m (3.74 ft.) FRP engine propel led open lifeboat, 49 person Class I.
160.035/0523/0 FORMER-MAY USE	7.30 m (23.95 ft.) x 2.76 m (9.06 ft.) x 1.15 m (3.77 ft.) FRP tot. encl. m otor I/b (Class I), 47 person capacity.
160.035/0539/1 FORMER-MAY USE	MCB 24, 7.4 m, 50 Person, FRP, fire protected (with spray and air systems) totally enclosed lifeboat/rescue b
160.035/0561/0 FORMER-MAY USE	MCB 24 (Dry Cargo), 7.4 m, 50 Person, FRP, (without spray or air system) totally enclosed lifeboat/rescue b
160.035/0562/0 FORMER-MAY USE	MCBR 24, 7.4 m, 43 Person, FRP, fire protected (with spray and air system) totally enclosed lifeboat/rescue b

UMOE SCHAT-HARDING INC. 912 HIGHWAY 90 EAST NEW IBERIA LA 70560

160.035/0178/8 FORMER-MAY USE	16.0' x 5.5' x 2.38' steel, oar-propelled lifeboat, 9-person capacity. For limited service use dwg, No. 16-1C date
160.035/0214/6 FORMER-MAY USE	20.0' x 6.5' x 2.67' aluminum, oar-propelled lifeboat, 18-person capacity.
160.035/0439/8 FORMER-MAY USE	3.66 m x 1.35 m x 0.53 m (12.0' x 4.42' x 1.75') oar-propelled FRP lifeboat, 4-person capacity.
160.035/0452/2 FORMER-MAY USE	30.0' x 10.0' x 4.35' aluminum, motor-propelled lifeboat, Class 1, 74- person capacity.
160.035/0457/1 FORMER-MAY USE	22.0' x 7.5' x 3.17' aluminum, motor-propelled, Class 1 lifeboat, 28 person capacity, with Westerbeke LB-40 en
160.035/0473/2 FORMER-MAY USE	26.0' x 9.0' x 3.83' FRP, totally enclosed, fire protected, Class 1, 42 person lifeboat. S-1 release gear and
160.035/0485/2 FORMER-MAY USE	21.83' x 8.08' x 2.93' GRP totally enclosed motor-propelled lifeboat, without radio cabin or searchlight (Clas
160.035/0487/3 FORMER-MAY USE	23.87' x 8.75' x 3.25', 33-person, totally enclosed, motor-propelled, fibrous glass reinforced plastic.
160.035/0491/1 FORMER-MAY USE	25.74' x 9.0' x 3.71' GRP lifeboat, 48 per., without radio cabin or search- light, (class 1), with Lister ST-2 engin
160.035/0492/2 FORMER-MAY USE	22.0' x 7.5' x 3.17' steel, motor-propelled, Class 1 lifeboat, 26-person capacity, with Lister St-2 engine, or wit
160.035/0508/0 FORMER-MAY USE	EL/16 totally enclosed lifeboat, 16'6" x 7'0" x 9'6" fibrous glass reinforc ed plastic.
160.035/0516/1 FORMER-MAY USE	11.34 m x 3.79 m x 1.64 m (37.42' x 12.5' x 5.42'), 145-person, motor propelled, open lifeboat, FRP constr
160.035/0525/0 FORMER-MAY USE	29'4" x 10'7 5/8" x 9' 10" fibrous glass reinforced totally enclosed motor propelled lifeboat.
160.035/0526/0 FORMER-MAY USE	21.83' x 8.08' x 2.93' fibrous glass reinforced plastic totally enclosed mo tor propelled lifeboat.
160.035/0528/1 FORMER-MAY USE	28' x 9' x 3' 11.5", 53 person, GRP, motor propelled.
160.035/0532/0 FORMER-MAY USE	9.4 m x 3.5 m x 2.9 m, Mk IV, 80 person capacity, totally enclosed lifeboat, fibrous glass reinforced plasti
160.035/0537/0 FORMER-MAY USE	9.4m, Mk IV(S), 76 Person, with air and spray (fire protected), totally enclosed, GRP, with Thornycroft 152 e
160.035/0540/0 FORMER-MAY USE	9.4m, Mk IV(S), 76 Person, without air and spray, totally enclosed, GRP, with Thornycroft 152 engine (55 bh
160.035/0547/0 FORMER-MAY USE	7.5m, Mk IV, 50 person, totally enclosed, GRP, Volvo 2003T engine, with air and water spray (fire protected).
160.035/0554/0 FORMER-MAY USE	7.5m, Mk IV, 50 person, totally enclosed, GRP, Volvo 2003T engine, without air or water spray (non-fire prote

Page 89 of 395 Note: Based on data as of March 1, 1998

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION "Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

WELIN BOAT AND DAVIT DIVISION	LAKE SHORE, INC IRON MOUNTAIN MI 49801
160.035/0030/0 FORMER-MAY USE	31.0' x 10.5' x 4.33' steel, motor propelled, without radio cabin, 84 perso n.
160.035/0031/2 FORMER-MAY USE	12.0' x 4.42' x 1.92' steel, oar propelled, 6 person.
160.035/0032/0 FORMER-MAY USE	18.0' x 6.25' x 2.75' aluminum, oar propelled, 18 person.
160.035/0033/1 FORMER-MAY USE	18.0' x 6.5' x 2.6' steel, oar propelled, 18 person.
160.035/0034/2 FORMER-MAY USE	18.0' x 5.75' x 2.42' steel, oar propelled, 15 person.
160.035/0035/2 FORMER-MAY USE	18.0' x 5.83' x 2.58' steel, oar propelled, 16 person.
160.035/0036/0 FORMER-MAY USE	20.0' x 6.0' x 2.67' wood, oar propelled, 19 person.
160.035/0037/1 FORMER-MAY USE	22.0' x 7.5' x 3.17' steel, motor propelled, without radio cabin (Class B), 28 person.
160.035/0039/3 FORMER-MAY USE	24.0' x 8.0' x 3.58' steel, motor propelled, without radio cabin (Class B), independent air tanks, 37 person.
160.035/0040/0 FORMER-MAY USE	24.0' x 8.0' x 3.58' steel, motor propelled, without radio cabin, 36 person .
160.035/0041/2 FORMER-MAY USE	24.0' x 8.0' x 3.58' steel, oar propelled, 40 person.
160.035/0042/0 FORMER-MAY USE	24.0' x 8.0' x 3.58' steel, motor propelled, with radio cabin, 35 person.
160.035/0043/0 FORMER-MAY USE	24.0' x 8.0' x 3.73' steel, oar propelled, independent air tanks, 40 person .
160.035/0044/0 FORMER-MAY USE	24.0' x 8.0' x 3.73' steel, motor propelled, without radio cabin, independe nt air tanks, 37 person.
160.035/0045/0 FORMER-MAY USE	24.0' x 8.0' x 3.73' steel, motor propelled, without radio cabin, built-in air tanks, 36 person.
160.035/0046/0 FORMER-MAY USE	36.5' x 11.75' x 5.25' aluminum, motor propelled, with radio cabin, 130 per son .
160.035/0047/5 FORMER-MAY USE	24.0' x 8.0' x 3.73' steel, oar propelled, built-in air tanks, 40 person.
160.035/0048/0 FORMER-MAY USE	24.0' x 8.0' x 3.33' steel, oar propelled T bar keel, 38 person.
160.035/0049/0 FORMER-MAY USE	24.0' x 8.0' x 3.33' steel, motor propelled, without radio cabin, 36 person .
160.035/0050/1 FORMER-MAY USE	24.0' x 8.63' x 3.88' aluminum, motor propelled, without radio cabin (Class B), 43 person.
160.035/0051/0 FORMER-MAY USE	26.0' x 9.0' x 3.67' steel, motor propelled, without radio cabin, 46 person .
160.035/0052/1 FORMER-MAY USE	26.0' x 9.0' x 3.67' steel, oar propelled, 50 person.
160.035/0053/1 FORMER-MAY USE	26.0' x 9.0' x 3.83' aluminum, oar propelled, 53 person.
160.035/0054/2 FORMER-MAY USE	26' x 8.3' x 3.6' aluminum, oar-propelled, 49-person capacity.
160.035/0055/0 FORMER-MAY USE	26.0' x 8.3' x 3.6' aluminum, motor propelled, with radio cabin, 40 person.
160.035/0056/0 FORMER-MAY USE	26.0' x 8.3' x 3.6' steel, motor propelled, with radio cabin, 39 person.
160.035/0057/0 FORMER-MAY USE	26.0' x 8.3' x 3.6' steel, motor propelled, without radio cabin, 43 person.
160.035/0058/0 FORMER-MAY USE	28.0' x 9.79' x 4.13' aluminum, hand propelled, built-in air tanks, 75 person.
160.035/0059/2 FORMER-MAY USE	28.0' x 9.79' x 4.13' steel, motor propelled, without radio cab in (Class B), 64 person.
160.035/0060/4 FORMER-MAY USE	28.0' x 9.0' x 3.96' steel, motor propelled, with radio cabin, 48 person.
160.035/0061/0 FORMER-MAY USE	28.0' x 9.0' x 3.96' aluminum, motor propelled, without radio cabin, builtin air tanks, 54 person.
160.035/0062/0 FORMER-MAY USE	28.0' x 9.0' x 3.96' aluminum, oar propelled, built-in air tanks, 59 person .
160.035/0063/2 FORMER-MAY USE	31.0' x 11.25' x 4.5' steel, motor propelled, without radio cabin (Class B) , 83 person.
160.035/0064/2 FORMER-MAY USE	31.0' x 11.25' x 4.5' steel, hand propelled, 90 person.
160.035/0065/0 FORMER-MAY USE	33.5' x 11.75' x 4.87' aluminum, motor propelled, wi th radio cabin, 109 p erson.
160.035/0066/1 FORMER-MAY USE	36.5' x 11.75' x 5.25' aluminum, hand propelled, 135 person.
160.035/0135/0 FORMER-MAY USE	30.0' x 10.0' x 4.13' steel, motor propelled, with radio cabin, 64 person.
160.035/0146/0 FORMER-MAY USE	30.0' x 10.0' x 4.13' steel, motor propelled, without radio cabin, 68 perso n.
160.035/0147/1 FORMER-MAY USE	26.0' x 9.0' x 3.83' aluminum, hand propelled, 53 person.
160.035/0148/2 FORMER-MAY USE	16.0' x 5.5' 2.38' steel, oar propelled, 12 person.
160.035/0151/0 FORMER-MAY USE	30.0' x 10.0' x 4.13' aluminum, hand propelled, with radio cabin, 75 person .

Page 90 of 395 Note: Based on data as of March 1, 1998

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION "Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

160.035/0152/1	FORMER-MAY USE	30.0' x 9.67' x 4 .17' aluminum, hand propelled, 65 person.	
160.035/0153/0	FORMER-MAY USE	30.0' x 10.0' x 4.13' aluminum, hand propelled, 83 person.	
160.035/0154/0	FORMER-MAY USE	30.0' x 10.25' x 3.5' steel, hand propelled, 76 person.	
160.035/0157/0	FORMER-MAY USE	35.0' x 12.33' x 5.25' steel, motor propelled, without radio cabin 135 pers on.	
160.035/0167/0	FORMER-MAY USE	16.0' x 5.1' x 2.08' steel, oar propelled, for other than ocean and coastwi se service, 10 person.	
160.035/0168/1	FORMER-MAY USE	14.0' x 5.0' x 2.17' steel, oar propelled, 9 person.	
160.035/0169/1	FORMER-MAY USE	26.0' x 9.0' x 3.83' aluminum, motor propelled with radio cabin 43 person.	
160.035/0172/0	FORMER-MAY USE	30.67' x 10.17' x 4.25' steel, motor propelled, with radio cabin, 60 person $$.	
160.035/0173/1	FORMER-MAY USE	30' x 10.0' x 4.13' steel, hand propelled, 72 person.	
160.035/0177/0	FORMER-MAY USE	31.0' x 11.25' x 4.5' steel, motor propelled, with radio cabin, 74 person.	
160.035/0179/2	FORMER-MAY USE	20.0' x 6.5' x 2.67' steel, oar propelled, 20 person.	
160.035/0180/2	FORMER-MAY USE	20' x 6.5' x 2.75' steel, oar propelled, 21 person.	
160.035/0181/2	FORMER-MAY USE	22.0' x 7.5' x 3.17' steel, oar propelled, 31 person.	
160.035/0182/0	FORMER-MAY USE	22.0' x 6.5' x 2.83' steel, oar propelled, 24 person.	
160.035/0183/2	FORMER-MAY USE	22.0' x 6.75' x 2.92' steel, oar propelled, 25 person.	
160.035/0184/2	FORMER-MAY USE	24.0' x 7.75' x 3.33' steel, oar propelled, 37 person.	
160.035/0185/1	FORMER-MAY USE	26.0' x 8.3' x 3.6' steel, oar propelled, 46 person.	
160.035/0187/2	FORMER-MAY USE	26.0' x 9.0' x 3.83' steel, oar propelled, 53 person.	
160.035/0189/2	FORMER-MAY USE	28.0' x 9.0' x 3.96' steel, oar propelled, 59 person.	
160.035/0191/2	FORMER-MAY USE	28.0' x 9.79' x 4.13' steel, hand propelled, 68 person.	
160.035/0194/2	FORMER-MAY USE	35.0' x 12.33' x 5.25' steel, hand propelled, 135 person.	
160.035/0195/0	FORMER-MAY USE	35.0' x 12.33' x 5.25' steel, motor propelled with radio ca bin, 130 perso n.	
160.035/0196/1	FORMER-MAY USE	30.67' x 10.17' x 4.25' steel, hand propelled, 78 person.	
160.035/0199/1	FORMER-MAY USE	26.0' x 9.0' x 3.83' steel, hand propelled, 5 person.	
160.035/0200/0	FORMER-MAY USE	26.0' x 9' x 3.83' steel, motor propelled, with radio cabin, 43 person.	
160.035/0201/2	FORMER-MAY USE	24.0' x 7.75' x 3.33' steel, hand propelled, 37 person.	
160.035/0209/0	FORMER-MAY USE	33.5' x 11.75' x 4.88' steel, hand propelled, 100 person.	
160.035/0220/1	FORMER-MAY USE	26.0' x 9.0' 3.83' aluminum, motor propelled without radio cabin, 48 person .	
160.035/0233/0	FORMER-MAY USE	12.0' x 4.42' x 1.92' aluminum, oar propelled, 6 perso n.	
160.035/0234/0	FORMER-MAY USE	24.0' x 7.0' x 3.0' steel, oar propelled, 30 person.	
160.035/0235/0	FORMER-MAY USE	30.0' x 10.0' x 4.13' steel, hand propelled, 84 person.	
160.035/0237/0	FORMER-MAY USE	31.0' x 10.5' x 4.33' steel, hand propelled, 82 person.	
160.035/0240/0	FORMER-MAY USE	16.0' x 5.75' x 2.38' steel, oar propelled, 13 person.	
160.035/0248/1	FORMER-MAY USE	26.6' x 7.88' x 3.35' steel, oar propelled, 41 person.	
160.035/0249/0	FORMER-MAY USE	14.0' x 5.29' x 2.17' steel. oar propelled, 9 person.	
160.035/0250/0	FORMER-MAY USE	14.0' x 5.29' x 2.17' aluminum, square stern, oar propelled, 9 person.	
160.035/0253/0	FORMER-MAY USE	28.0'x 9.79' x 4. 13' steel, hand propelled, 75 person.	
160.035/0261/2	FORMER-MAY USE	24.0' x 7.75' x 3.33' aluminum, oar propelled, 37 person.	
160.035/0264/1	FORMER-MAY USE	28,0' x 9.0 x 3.96' aluminum, oar propelled. 59 person.	
160.035/0265/1	FORMER-MAY USE	24.0' x 8.0' x 3.35' aluminum, oar propelled, 40 person.	
160.035/0266/0	FORMER-MAY USE	26.0' x 7.88' x 3.35' aluminum, oar propelled, 41 person.	
160.035/0267/0	FORMER-MAY USE	12.0. x 4.42' x 1.92' steel, square stern, oar propelled, 6 person.	

Page 91 of 395 Note: Based on data as of March 1, 1998

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION "Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

160.035/0268/0	FORMER-MAY USE	36.0' x 12.33' x 5.25' aluminum, hand propelled, 140 person.
160.035/0269/0	FORMER-MAY USE	36.0' x 12.33' x 5.25' aluminum, motor propelled w ith radio cabin 133 per son.
160.035/0273/0	FORMER-MAY USE	24.0' x 7.75' x 3.58' aluminum, motor propelled without radio cabin (Class B), 30 person.
160.035/0276/1	FORMER-MAY USE	26.0' x 7.88' x 3.35' aluminum, oar propelled, 41 person.
160.035/0278/0	FORMER-MAY USE	30.0' x 10.0' x 4.13' aluminum, hand propelled, 70 person.
160.035/0287/1	FORMER-MAY USE	28.0' x 9.0' x 4.0' steel, hand propelled, 60 person.
160.035/0303/1	FORMER-MAY USE	24.0' x 7.75' x 3.33' aluminum, hand propelled, 37 person.
160.035/0307/1	FORMER-MAY USE	16.0' x 5.5' x 2.38' aluminum, oar propelled, 12 person.
160.035/0308/1	FORMER-MAY USE	22.0' x 7.5' x 3.17' steel, hand propelle d, 31 person.
160.035/0312/0	FORMER-MAY USE	22.0' x 7.5' x 3.17' aluminum, oar propelled, 31 person.
160.035/0313/1	FORMER-MAY USE	26.0' x 9.0' x 3.83' aluminum, motor propelled with radio cabin (Class A), 43 person.
160.035/0315/0	FORMER-MAY USE	28.0' x 9.0' 4.0' steel, motor propelled without radio cabin (Class B), 50 person.
160.035/0316/2	FORMER-MAY USE	24.0' cabin (Class B), 35 person.
160.035/0325/0	FORMER-MAY USE	30.67' x 10.17' x 4.25' aluminum, hand propelled, 78 person.
160.035/0340/0	FORMER-MAY USE	30.67' x 10.17' x 4.25' steel, hand propelled, 78 person.
160.035/0345/0	FORMER-MAY USE	26.0' x 8.3' x 3.6' steel, hand propelled, 46 person.
160.035/0352/0	FORMER-MAY USE	28.0' x 9.79' x 4.13' aluminum, motor propelled without radio cabin (Class B), 60 person.
160.035/0353/0	FORMER-MAY USE	37.0' x 13.0' x 5.33' aluminum, motor propelled with radio cabin (Class A), 142 person.
160.035/0354/0	FORMER-MAY USE	37.0' x 13.0' x 5.33' aluminum, hand propelled, 150 person.
160.035/0359/0	FORMER-MAY USE	30.0' x 10.0' x 4.13' aluminum, hand propelled, 83 person.
160.035/0361/0	FORMER-MAY USE	30.0' x 10.0' x 4.13' aluminum, hand propelled, 83 person.
160.035/0362/0	FORMER-MAY USE	24.0' x 7.75' x 3.33' steel, hand propelled, 40 person.
160.035/0364/0	FORMER-MAY USE	30.0' x 10.0' x 4.13' aluminum, motor propelled with radio cabin (Class A), 63 person.
160.035/0365/0	FORMER-MAY USE	37.0' x 13.0' x 5.33' steel, hand propelled, 150 person.
160.035/0366/0	FORMER-MAY USE	37.0' x 13.0' x 5.33' steel, motor propelled with radio cabin (Class A), 142 person.
160.035/0367/0	FORMER-MAY USE	24.0' x 7.0' x 3.0' aluminum, oar propelled, 30 person.
160.035/0374/0	FORMER-MAY USE	14.0' x 5.0' x 2.17' aluminum, oar propelled, 9 person.
160.035/0375/0	FORMER-MAY USE	24.0' x 8.0' x 3.5' fibrous glass reinforced plastic, oar propelled, 40 per son.
160.035/0377/0	FORMER-MAY USE	33.5' x 11.75' x 4.88' aluminum, hand propelled, 110 person.
160.035/0380/0	FORMER-MAY USE	24.0' x 8.0' x 3.58' aluminum, motor propelled without radio cabin (Class B), 38 person.
160.035/0383/0	FORMER-MAY USE	24.0' x 8.63' x 3.88' steel, oar propelled, 47 person.
160.035/0385/0	FORMER-MAY USE	24.0' x 8.63' x 3.88' aluminum, oar propelled, 47 person.
160.035/0393/0	FORMER-MAY USE	28.0' x 9.0' x 4.0' aluminum, hand propelled 60 person.
160.035/0398/1	FORMER-MAY USE	24.0' x 8.0' x 3.58' steel, oar propelled with removable interior, 40 perso n.
160.035/0400/0	FORMER-MAY USE	28.0' x 9.0' x 4.0' aluminum, motor propelled with radio cabin (Class A), 5 0 person.
160.035/0402/0	FORMER-MAY USE	22.0' x 7.5' x 3.17' steel, oar propelled with removable interior, 31 perso n.
160.035/0406/0	FORMER-MAY USE	22.0' x 7.5' x 3.17' steel, hand propelled with removable interior, 31 pers on.
160.035/0407/0	FORMER-MAY USE	33.0' x 10.0' x 4.33' aluminum, hand propelled with removable interior, 78 person.
160.035/0408/1	FORMER-MAY USE	$30.0' \times 10.0' \times 4.33'$ aluminum, motor propelled without radio cabin (Clas s B) with removable interior, 74 pers
160.035/0411/1	FORMER-MAY USE	24.0' x 8.0' x 3.58' steel, hand propelled, with removable interior, 40 per son.
160.035/0412/2	FORMER-MAY USE	24.0' x 8.0' x 3.58' steel, motor propelled, with removable interior, witho ut radio cabin (Class B), 37 person.
160.035/0416/1	FORMER-MAY USE	30.0' x 10.0' x 4.33' fibrous glass reinforced plastic (FRP), hand propelle d, 78 person.

Page 92 of 395 Note: Based on data as of March 1, 1998

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION "Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

160.035/0417/3 FORMER-MAY USE	30.0' x 10.0' 4.33' fibrous glass reinforced plastic (FRP), motor propelled , without radio cabin or searchlight, 7
160.035/0418/0 FORMER-MAY USE	16.0' x 5.5' x 2.38' steel, oar propelled, wit h removable interior, 12 pe rson.
160.035/0419/0 FORMER-MAY USE	26.0' x 7.88' x 3.55' fibrous glass reinforced plastic, oar propelled, 41 p erson.
160.035/0425/0 FORMER-MAY USE	24.0' x 8.0' x 3.58' fibrous glass reinforced plastic, hand propelled, 40 p erson.
160.035/0428/3 FORMER-MAY USE	24.0' x 8.0' x 3.58' fibrous glass reinforced plastic, motor propelled (Die sel) (Class B), 37 person.
160.035/0438/0 FORMER-MAY USE	22.0' x 6.75' x 2.92' aluminum, oar propelled, with removable interior, 26 person.
160.035/0441/0 FORMER-MAY USE	26.0' x 9.0' x 3.83' steel, motor propelled (Diesel, 6-knot) (Class B), 48 person.
160.035/0468/1 FORMER-MAY USE	26.0' x 9.0' x 3.83' fibrous glass reinforced plastic (FRP), Class 1, mot or propelled, 48 person capacity.
160.035/0470/0 FORMER-MAY USE	26.0' x 9.0' x 3.83' fibrous glass reinforced plastic (FRP), 53 person capa city.
160.035/0476/1 FORMER-MAY USE	26.0' x 9.0' x 3.83' fibrous glass reinforced plastic (FRP), totally enclosed (covered), motor-propelled, Clas

160.036 Hand-Held Rocket-Propelled Parachute Red Flare

ALLIANT TECHSYSTEM, INC. KILGORE OPERATIONS KILGORE DRIVE TOONE TN 38381

160.036/0013/0 APPROVED Proteus III Hand Held Rocket Propelled Parachute Red Flare, 30,000 candela, 40 second burn time, 300 mete

COMET GMBH POSTFACH 10-02-67 BREMERHAVEN 27502 GERMANY

160.036/0015/1 APPROVED Article No. 1231; Parachute Signal Rocket, Red; 40,000 candela.

HANSSON PYROTECH BOX 93 BILLDAL

160.036/0012/0 APPROVED Ikaros Original Hand Held Rocket-Propelled Red Flare Distress Signal, 40,000 candela, 40 second burn ti

PAINS-WESSEX LTD HIGH POST ENGLAND SALISBURY, WILTSHIRE UNITED KINGDOM

160.036/0013/0 APPROVED Pains-Wessex Para Red MK 3 and Kilgore Proteus III Hand Held Red Parachute Rocket, 30,000 candela, 40 160.036/0014/0 APPROVED Schermuly Para Red MK 3, 30,000 candela, 40 second burn time, 300 meter altitude.

ALLIANT TECHSYSTEM, INC. KILGORE OPERATIONS KILGORE DRIVE TOONE TN 38381

160.036/0004/1 FORMER-MAY USE Hand-Held red parachute flare.

160.036/0011/0 FORMER-MAY USE Model Proteus III hand held, rocket propelled.

160.036/0016/0 FORMER-MAY USE Proteus IV Hand Held Rocket Propelled Parachute Red Flare, 30,000 candela, 40 second burn time, 1,000 fe

PAINS-WESSEX LTD HIGH POST ENGLAND SALISBURY, WILTSHIRE UNITED KINGDOM

160.036/0005/0 FORMER-MAY USE Pains-Wessex Para Red Mk. 3 Hand Fired Rocket.

160.036/0006/0 FORMER-MAY USE Schermuly Para Red Mk. 3 Hand Fired Rocket.

Page 93 of 395 Note: Based on data as of March 1, 1998